

**REDBALL® RUBBER MAKER'S SULFUR  
SUPERFINE/MC  
CAS# 9035-99-8**

**Technical Data:**

This material is a finely ground rubber maker's sulfur with a minimum purity of 96.85%. Superfine/MC is conditioned with 2.0% Magnesium Carbonate to produce a free-flowing, non-caking material.

**SPECIFICATIONS:**

<b>Appearance</b>	<b>Yellow Powder</b>
<b>Specific Gravity</b>	<b>2.03</b>
<b>*Heat loss</b>	<b>0.15% Max.</b>
<b>*Ash</b>	<b>1.3 to 2.0% Max.</b>
<b>*Acidity</b>	<b>0.01% Max.</b>
<b>*Sieve Size:</b>	<b>% Passing:</b>
<b>100 Mesh</b>	<b>99.0%</b>
<b>200 Mesh</b>	<b>99.0%</b>
<b>325 Mesh</b>	<b>90-100%</b>
<b>*Oil content</b>	<b>0.25% Max.</b>

**\*Actual data will be reported on Certificate of Analysis  
Packaging: 50 lb. bag**

Revised 7/2015

The technical information and suggestions for use contained herein are believed to be reliable, but they are not to be construed as warranties and no patent liability can be assumed.